



100-110 HP

# MF 5710 & MF 5711

With Dyna-4 Transmission



FROM MASSEY FERGUSON


# Standard and optional equipment

Whichever sector you're in, make the tractor your own

	MF 5710/11 DYNA 4 Cab version
<b>Engine</b>	
AGCO POWER 4 cylinders, Turbo, Common rail	●
Memorised engine speed	●
<b>Transmission</b>	
Semi Powershift 16 X 16	●
Powershuttle	○
Comfort Control	○
Power Control	○
Declutch control on transmission control	●
Creeper	○
<b>Cab/Platform</b>	
Large cab flat floor (2 doors easy access)	●
Suspended Large cab flat floor (2 doors easy access)	○
Fenders extensions	○
Air conditioning	○
High vis roof for loader operation	○
Tilt Steering Column	●
Dual Adjustment Steering Column (Tilting & Telescopic)	○
Mechanical seat	●
Pneumatic seat	○
Passenger seat	○
Radio/ CD / MP3/ Front Aux-in	○
Roof worklights (front & rear)	●
Additional handrails worklights	○
2 rear views mirrors	●
2 rear views telescopic mirrors	○
Advanced performance monitor	●
Toolbox	●
<b>Hydraulics</b>	
Independent auxiliary pump	●
2 Mechanical spool valves	●
3 Mechanical spool valves	○
Advanced linkage control (intermix / max height / quick soil engagement / shock absorber)	●
Linkage control on fenders, both sides	●

- Not available
- Standard specification
- Optional

	MF 5710/11 DYNA 4 Cab version
<b>PTO</b>	
Independent PTO	●
Electro hydraulic PTO clutch	●
In cab PTO speed selection	●
540/540 E	●
540/1000	○
540 / 540 E / 1000	○
<b>Front axle</b>	
4WD	●
Electronic hydraulic diff control	●
Front fenders	○
Pivoting front fenders	○
<b>Additional equipment</b>	
Isolator switch	●



	MF 5710 D4/ MF 5711 D4
4 Wheel Drive	
A – Overall length from front weight frame to rear linkage arms - mm	4305
B – Wheelbase - mm	2430
Turning circle* - external diameter, less brakes - m	8.3
C – Height to top of Standard roof with 16.9 R 34 tyres	2685
C – Height to top of Visio roof with 16.9 R 34 tyres	2685
D – Width (min / max) - mm	1795 to 2587
E – Maximum ground clearance - mm	515

\* Depends on settings

# Specifications

	MF 5710 Dyna 4	MF 5711 Dyna 4
<b>Engine Performance</b>		
Max hp (kW) power @ 2000rpm	100 (74.5)	110 (80.0)
Max torque @ 1600rpm	410	417
<b>Engine</b>		
Type/Capacity/no. of Cylinders	AGCO POWER 4.4 Liters, 4 cylinders	
Technology	Electronic injection, Common rail, 4 valves per cylinder, DOC + SCR	
<b>Transmission</b>		
Type/ No. of gears	Semi Powershift 16 x 16	
Gears/ Ranges	4 X 4	
Shuttle	Power Control Lever & Comfort Control	
Optional Shuttle	Power Shuttle (Power Control Lever & Comfort Control) + Brake to Neutral (optional)	
Min Speed @ 1400rpm	km/h	1.30
Optional creeper gears		32 x 32
Min Speed @ 1400rpm* with creeper	km/h	0.14
<b>Power Take-off</b>		
Operation and control	Independent/Electro hydraulic control	
Standard PTO speeds	540 / 540Eco	
Optional PTO speeds	540 / 1000 // 540/540Eco/1000	
PTO speed @ engine rpm	540 & 1000	2000
PTO speed @ engine rpm	540 Eco	1550
<b>PTO shaft</b>		
Standard	6 splines	
Optional	6 & 21 splines	
<b>Hydraulics</b>		
Max oil flow - Stage 1	litres/min	33l/min supplying steering brakes, diff lock, PTO, 4WD
Standard max oil flow - Stage 2	litres/min	58 l/min supplying spoolvalve and linkage
Optional max oil flow - Stage 2	litres/min	58 l/min supplying rear linkage + 42 l/min supplying spoolvalve
		The two pumps can be combined to supply 100 l/min to spoolvalves (eg : Loader)
Combined flow control		Fully automatic (Electrical switch in Cab)
Max pressure	Bar	200
Standard spoolvalves / Optional spoolvalves		2 / 3
<b>Rear linkage</b>		
Maximum lift capacity	kg	4,300
Lower links		Hook ends (cat 2)
<b>Brakes</b>		
Type	Electro hydraulic / Oil cooled	
<b>Rear tyres</b>		
Standard	420/85 R 34	
Optional	460/85R34 - 480/70 R34 - 540/65R34 340/85 R 38 - 420/85 R 38 480/70 R 38- 540/65 R 38	
<b>Capacities</b>		
Fuel tank capacity	litres	160
AdBlue® tank capacity	litres	18
<b>Weight</b>		
4WD**	kg	4050

\* Manufacturer's testing \*\* Standard configuration with full fuel tanks, an operator - 75 kg and the smallest tyres





**MASSEY FERGUSON**

**A world of experience. Working with you.**



Web: [www.MasseyFerguson.com](http://www.MasseyFerguson.com)

Facebook: [www.Facebook.com/MasseyFergusonGlobal](http://www.Facebook.com/MasseyFergusonGlobal)

Twitter: [Twitter.com/MF\\_EAME](http://Twitter.com/MF_EAME)

Instagram: [Instagram.com/MasseyFergusonGlobal](http://Instagram.com/MasseyFergusonGlobal)

YouTube: [www.YouTube.com/MasseyFergusonGlobal](http://www.YouTube.com/MasseyFergusonGlobal)

Blog: [Blog.MasseyFerguson.com](http://Blog.MasseyFerguson.com)



MASSEY FERGUSON® is a worldwide brand of AGCO.  
© AGCO Limited. 2018 | A-A-16730/0218 | English/0418



Responsible forest management

